Index

IEE Proceedings
Microwaves, Antennas and Propagation

Vol. 144, 1997

Author Index

A

Aberle, J.T. p403
Akiyama, A. p425
Albertsen, N.C. p191
Ando, M. p425
Antonopoulos, C. p415
Araoka, N. p498
Archer, M.J. p209
Au, T.M. p137
Auchterlonie, L.J. p27

B

Balis, P.G. p367
Baquero, M. p73
Barr, R. p153
Bartolucci, G. p467
Becks, T. p274
Bergmann, J.R. p42, p179
Bhattacharya, A. p126
Bhattacharyya, A.K. p491
Bird, T.S. p47, p337
Bordallo, T.M. p173
Boria, V.E. p73
Bowman, M.R. p267

C

Cahill, R. p209, p415
Chakraborty, A. p126
Chang, D.-C. p97
Chiu, C.-C. p229
Chopard, B. p251
Chou, H.-C. p377
Choung, Y.H. p315
Chung, J.-C. p377
Constantinou, C.C. p35, p392
Cook, G.G. p261, p364
Cooley, M.E. p149
Cuhaci, M. p472

D

Damiano, J.-P. p341
Davis, L.E. p111
Deleniv, A. p145
Demetrescu, C. p392
Descardeci, J.R. p305
Dhanda, B.S. p215
Di, W. p372
Dmitriyev, V.A. p297
Dubard, J.L. p205

E

Eastment, J.D. p267
Eclercy, D. p389
Edwards, R.M. p261
El-Sharawy, E.-B. p403
Elshafiey, T.F. p403
Esteban, H. p73

F

Farina, M. p281
Ferrando, M. p73
Fikioris, J.G. p167
Fletcher, P.N. p27
Friedmann, M. p235
Fusco, V.F. p201, p483

G

Gevorgian, S. p145
Giannini, F. p458
Gimeno, B. p161, p173
Gnilenko, A.B. p103, p449
Gonzalez, D.G. p149
Goto, N. p425
Guglielmi, M. p161
Gupta, S. p126

H

Hall, M.P.M. p267
Hasegawa, H. p443
Hasselmann, F.J.V. p42
Heberling, D. p274
Helaly, A. p61
Helszajn, J. p221
Hinton, O.R. p367
Hirokawa, J. p13, p425
Huang, H.-C. p229
Hume, A.L. p27
Humphrey, D.E.J. p483
Hunter, I.C. p437
Huynh, T. p354

I

Ikeda, N. p53
Inagaki, N. p372
Ittipiboon, A. p472

J

Jecko, B. p389
Jiang, H. p197
Jin, J.-M. p501
Jones, T.B. p91, p215, p241

K

Kang, K. p311
Kastner, R. p184
Khamas, S.K. p261, p364
Kiang, J.-F. p301
Kildal, P.-S. p13, p289, p321
Kimura, Y. p425
Kolbehdari, M.A. p347
Kollberg, E. p145
Kooi, P.S. p329
Kot, J.S. p47, p337
Kraft, U.R. p131

L

Lakhtakia, A. p57
Landecker, L. p431
Larose, R. p472
Latheurte, J.-M. p397
Lee, K.F. p354, p421
Lee, R.Q. p354
Lee, Y.F. p421
Legay, H. p67
Leong, M.S. p329
Leviastan, Y. p235
Li, C.-L. p229
Li, L.W. p329
Limiti, E. p458
Liu, J.-C. p377
Lu, N. p501
Luk, K.M. p137, p354, p421
Luthi, P.O. p251
Luxey, C. p397
Lynch, D.J. p221

M

Martinsson, T. p145
Megahed, A.A. p61
Mehler, M.J. p392
Merkel, H. p321
Mimaki, H. p488
Monk, A.D. p1
Morini, A. p281

N

Nakano, H. p53, p488
Nakhla, M.S. p347
Navarro, E.A. p173
Navasquillo, J. p173
Nevermann, P. p274
Nikolic, N. p47, p337

O

Obelleiro, F. p141
Oh, Y. p256
Olver, A.D. p1
Ong, L.C. p35
Orengo, G. p458

P

Pan, G. p81
Pan, S.-G. p274
Parini, C.G. p305
Parker, E.A. p415
Pennock, S.R. p477
Perng, D.W. p359
Petosa, A. p472
Petrusenko, I.V. p103
Pierantoni, L. p281
Pino, A.G. p141
Pollon, G.E. p149
Pompei, D. p205
Pregla, R. p119

R

Ragheb, H.A. p7
Railton, C.J. p382
Rammal, M. p389
Rayner, M. p1
Reineix, A. p389
Rhodes, J.D. p437
Ribero, J.-M. p341
Riblet, G.P. p411
Rodriguez, J.L. p141
Rogers, N.C. p91, p241
Rosmann, H. p274
Routledge, D. p431
Rozzi, T. p281

S

Sakakibara p425
Salomonsson, D.J. p13
Sano, M. p197
Sarabandi, K. p256
Sebak, A. p7
Sekine, M. p197
Shafai, L. p7, p67
Shepherd, P.R. p477
Shi, W.M. p311
Shifman, Y. p235
Shimasaki, H. p443
Shum, S.M. p354
Sipus, Z. p321
Smegal, R.J p431
Soliman, E.A. p61
Soret, J. p173
Staraj, R. p341
Stoiljkovoc, V. p477
Sturland, I.M. p415

T

Takada, J. p498
Tan, J. p20, p81
Tanisho, A. p498
Tarng, J.H. p359
Teixeira, F.L. p179
Tengs, A. p13
Thurai, M. p20
Tong, K.F. p137, p354, p421
Tsalamengas, J.L. p167
Tsang, K.F. p311
Tsutsumi, M. p443
Twig, Y. p184

V

Vaneldik, J.F. p431
Vardiambasis, I.O. p167
Vendik, I. p145

W

Wagen, J.-F. p251
Waldron, R.J. p261
Walker, J.F. p149
Warrington, E.M. p91, p215, p241
Wei, C. p372
Weiglhofer, W.S. p57
Wolff, I. p274

Y

Yakovlev, A.B. p103, p449
Yamauchi, J. p53
Yang, C.-C. p97
Yang, H. p382
Yang, S.-Y. p97
Yeo, T.S. p329

Z

Zhang, W.X. p311
Zhou, L. p111

AMPLIFIERS

Electromagnetic investigation on the propagation in distributed active devices p281
Improved single-ended solutions for ultrawide-band monolithic GaAs amplifiers p458

ANTENNA ACCESSORIES

Alternating phase-fed waveguide slot arrays with a single-layer multiple-way power divider p425
Analysis of an open-ended waveguide radiator with dielectric plug p126
Characteristics of aperture-coupled coplanar microstrip subarrays p137
Determining the polarisation properties of an antenna using arbitrary and unknown field probes p431
Experimental and simulation studies of the coaxially fed U-slot rectangular patch antenna p354
FD-TD design of short backfire antennas p1
Microstrip-fed array of multisegment dielectric resonator antennas p472
Planar resonant series-fed arrays p67
Simple design of dual-beam leaky-wave antennas in microstrips p397
Synthesis and analysis of a dual-reflector feed for the radiotelescope in Nancay p289
Trireflector compact antenna test range p305
Wideband TM_{01}-mode travelling wave coupler p315

ANTENNA ARRAYS

Alternating phase-fed waveguide slot arrays with a single-layer multiple-way power divider p425
Characteristics of aperture-coupled coplanar microstrip subarrays p137
Dimension-descent technique for electromagnetic problems p372
Floquet-modal-based analysis for mutual coupling between elements in an array environment p491
Microstrip-fed array of multisegment dielectric resonator antennas p472
Mode change analysis of a two element oscillator-type antenna array p483
Multilayer frequency-selective surfaces for millimetre and submillimetre wave applications p415
Novel reflectarray element with variable phase characteristics p149
Planar resonant series-fed arrays p67
Polygon subdomain basis-function model for the ring element in FSS arrays p209
Study of mutual coupling effect on radiated patterns of antenna arrays p389

ANTENNA THEORY

Accurate analysis and synthesis of annular ring microstrip antennas p341
Axial ratio of a curl antenna p488
Characteristics of aperture-coupled coplanar microstrip subarrays p137
Corrugated soft sector horn with different beam properties in the two principal planes p13
Dimension-descent technique for electromagnetic problems p372
Efficient moment method for analysing printed wire loop antennas p364
Experimental and simulation studies of the coaxially fed U-slot rectangular patch antenna p354
Experimental and theoretical study of groove guide horn antennas at W-band p311
Experimental studies of circular patches with slots p421
Floquet-modal-based analysis for mutual coupling between elements in an array environment p491
Interpolation of reflector surfaces by pseudosplines p42
Method of moments analysis of a small aperture radial line slot antenna using the rectangular cavity Green's function p498
Millimetre wave leaky wave antenna using an H-guide loaded with a corrugated ferrite p443
Mode change analysis of a two element oscillator-type antenna array p483
Moment-method analysis of circularly symmetric reflectors using bandlimited basis functions p179
Moment method analysis of printed single-arm wire spiral antennas using curved segments p261
Planar resonant series-fed arrays p67
Polarisation-diversity phase-encoded patch-antenna transponder p201
Polarisation properties of small printed spiral antennas with four resistively loaded arms p131
Polygon subdomain basis-function model for the ring element in FSS arrays p209
Quadrifilar conical helical antenna with travelling-wave current distribution p53
Rigorous analysis of three-dimensional beam transmission through a dielectric slab p173
Simple design of dual-beam leaky-wave antennas in microstrips p397
Study of mutual coupling effect on radiated patterns of antenna arrays p389
Synthesis and analysis of a dual-reflector feed for the radiotelescope in Nancay p289
Theoretical and experimental study of a cavity-backed annular-slot antenna p337

CALIBRATION

Determining the polarisation properties of an antenna using arbitrary and unknown field probes p431

CIRCUIT THEORY AND DESIGN

Design of loop antennas and matching networks for low-noise RF receivers: analytic formula approach p274
Frequency response of N-port planar gyromagnetic circuits using the mutual energy-finite element method p221
Synthesis of reflection-mode prototype networks with dissipative circuit elements p437
Treatment of two-dimensional E-plane bandstop filters using the finite element method p411

COMPUTATIONAL COMPLEXITY

Block tridiagonal matrix formulation for inhomogeneous penetrable cylinders p184
UTD-based model for prediction of propagation path loss and shadowing variability in urban mobile environments p367

COMPUTER APPLICATIONS

Accurate analysis and synthesis of annular ring microstrip antennas p341
Lattice Boltzmann method for wave propagation in urban microcells p251

DIELECTRIC MATERIALS AND DEVICES

Microstrip-fed array of multisegment dielectric resonator antennas p472

EARTH SCIENCES

Large HF bearing errors for propagation paths contained within the polar cap p241
Large HF bearing errors for propagation paths tangential to auroral oval p91
Observations of Doppler spreading on HF signals propagating over high latitude paths p215

ELECTROMAGNETIC THEORY

Analysis of electromagnetic scattering by cylinders with edges using a hybrid moment method p235
Block tridiagonal matrix formulation for inhomogeneous penetrable cylinders p184
Determination of dielectric distribution of a two-dimensional anisotropic cylinder with multilayer structure p229
Diffraction by a quarterplane of the field from a halfwave dipole p191
Dual-reflector system with a spherical main reflector and shaped subreflector for compact range p97
Electromagnetic waves scattering by nonuniform plasma cylinder p61
Finite element analysis of scattering using coupled basis functions for elliptical boundaries p501
Generalised iterative method for solving 2D multiscattering problems using spectral techniques p73
Green function for radiation and propagation in helicoidal bianisotropic mediums p57
Green's functions for planar soft and hard surfaces derived by asymptotic boundary conditions p321
Improved numerical simulation of electromagnetic wave scattering from perfectly conducting random surfaces p256
Iterative solutions of MFIE for computing electromagnetic scattering of large open-ended cavities p141
Measured and modelled scattering properties of simulated particles of granular and spongy hail at microwave and millimetre-wave frequencies p27
Moment-method analysis of circularly symmetric reflectors using bandlimited basis functions p179
Quadrifilar conical helical antenna with travelling-wave current distribution p53
Results from clear-air propagation studies on Franco-UK paths at 1.3 and 11 GHz p267
Scattering by a right-angled lossy dielectric wedge p392
Simulation of Berenger's perfectly matched layer with a modified TLM node p205

ELECTROMAGNETISM

Analysis of electromagnetic scattering by cylinders with edges using a hybrid moment method p235
Block tridiagonal matrix formulation for inhomogeneous penetrable cylinders p184
Determination of dielectric distribution of a two-dimensional anisotropic cylinder with multilayer structure p229
Diffraction by a quarterplane of the field from a halfwave dipole p191
Finite element analysis of scattering using coupled basis functions for elliptical boundaries p501
Generalised iterative method for solving 2D multiscattering problems using spectral techniques p73
Green function for radiation and propagation in helicoidal bianisotropic mediums p57
Green's functions for planar soft and hard surfaces derived by asymptotic boundary conditions p321
Improved numerical simulation of electromagnetic wave scattering from perfectly conducting random surfaces p256
Iterative solutions of MFIE for computing electromagnetic scattering of large open-ended cavities p141
Scattering by a right-angled lossy dielectric wedge p392
Simulation of Berenger's perfectly matched layer with a modified TLM node p205

ELECTRONIC CIRCUITS

Generalised approach to modelling shielded printed-circuit transmission lines p103

FILTERS AND FILTERING

Frequency response of N-port planar gyromagnetic circuits using the mutual energy-finite element method p221
Multilayer frequency-selective surfaces for millimetre and submillimetre wave applications p415
Synthesis of reflection-mode prototype networks with dissipative circuit elements p437
Treatment of two-dimensional E-plane bandstop filters using the finite element method p411

INSTRUMENTATION AND MEASUREMENT

Multilayer frequency-selective surfaces for millimetre and submillimetre wave applications p415

INTEGRATED CIRCUITS

Improved single-ended solutions for ultrawide-band monolithic GaAs amplifiers p458
Integrated-circuit antenna for high-permittivity substrates p47

INTERFERENCE SUPPRESSION

Dual-reflector system with a spherical main reflector and shaped subreflector for compact range p97

Results from clear-air propagation studies on Franco-UK paths at 1.3 and 11 GHz p267

MAGNETIC MATERIALS AND DEVICES

Accurate and efficient evaluation of Green's functions for multilayer normally biased ferrite structures p403
Calculation of phase and attenuation constants for waveguides loaded with lossy ferrite with longitudinal or transverse magnetisation p111
Theoretical study of microstrip disc ferrite resonator with impedance boundary conditions p297

MATERIALS AND MATERIALS TESTING

Improved differential averaging technique for comparison decrement method p377
Wraparound patch resonators on a composite ground plane p301

MATHEMATICAL TECHNIQUES

Analysis of electromagnetic scattering by cylinders with edges using a hybrid moment method p235
Block tridiagonal matrix formulation for inhomogeneous penetrable cylinders p184
Determination of dielectric distribution of a two-dimensional anisotropic cylinder with multilayer structure p229
Diffraction by a quarterplane of the field from a halfwave dipole p191
Electromagnetic modelling and simulation of multiconductor interconnect networks with inhomogeneous cylindrical substrate p347
Electromagnetic waves scattering by nonuniform plasma cylinder p61
Finite element analysis of scattering using coupled basis functions for elliptical boundaries p501
Generalised iterative method for solving 2D multiscattering problems using spectral techniques p73
Green function for radiation and propagation in helicoidal bianisotropic mediums p57
Green's functions for planar soft and hard surfaces derived by asymptotic boundary conditions p321
Improved differential averaging technique for comparison decrement method p377
Improved numerical simulation of electromagnetic wave scattering from perfectly conducting random surfaces p256
Iterative solutions of MFIE for computing electromagnetic scattering of large open-ended cavities p141
Mutual impedance of two probes located in two different waveguide regions separated by a homogeneous dielectric slab: fullwave analysis p329
Scattering by a right-angled lossy dielectric wedge p392
Simulation of Berenger's perfectly matched layer with a modified TLM node p205

MEASUREMENT OF SPECIFIC VARIABLES

Determining the polarisation properties of an antenna using arbitrary and unknown field probes p431
Experimental and simulation studies of the coaxially fed U-slot rectangular patch antenna p354

MEASUREMENT SCIENCE

Determining the polarisation properties of an antenna using arbitrary and unknown field probes p431

MICROWAVE CIRCUITS

Design considerations for the series-connected single-switch phase shifter p467
Electromagnetic investigation on the propagation in distributed active devices p281
Improved single-ended solutions for ultrawide-band monolithic GaAs amplifiers p458
Integrated-circuit antenna for high-permittivity substrates p47

NUMERICAL ANALYSIS

Accurate analysis and synthesis of annular ring microstrip antennas p341
Accurate and efficient evaluation of Green's functions for multilayer normally biased ferrite structures p403
Analysis of an open-ended waveguide radiator with dielectric plug p126
Analysis of electromagnetic scattering by cylinders with edges using a hybrid moment method p235
Analysis of microstrip discontinuities by the method of integral equations for overlapping regions p449
Axial ratio of a curl antenna p488
Block tridiagonal matrix formulation for inhomogeneous penetrable cylinders p184
Calculation of phase and attenuation constants for waveguides loaded with lossy ferrite with longitudinal or transverse magnetisation p111
Determination of dielectric distribution of a two-dimensional anisotropic cylinder with multilayer structure p229
Dimension-descent technique for electromagnetic problems p372
Efficient and accurate FDTD algorithm for the treatment of curved material boundaries p382
Efficient moment method for analysing printed wire loop antennas p364
Electromagnetic modelling and simulation of multiconductor interconnect networks with inhomogeneous cylindrical substrate p347
Electromagnetic waves scattering by nonuniform plasma cylinder p61
Evaluation of multiple diffraction integrals: computational speed and accuracy considerations p35
Experimental and simulation studies of the coaxially fed U-slot rectangular patch antenna p354
FD-TD design of short backfire antennas p1
Finite-difference time-domain analysis of inset dielectric guide and its application to waveguide transitions p477
Finite element analysis of scattering using coupled basis functions for elliptical boundaries p501
Frequency response of N-port planar gyromagnetic circuits using the mutual energy-finite element method p221
General edge element approach to lossy and dispersive structures in anisotropic media p81
Generalised approach to modelling shielded printed-circuit transmission lines p103
Generalised iterative method for solving 2D multiscattering problems using spectral techniques p73
Green function for radiation and propagation in helicoidal bianisotropic mediums p57
Green's functions for planar soft and hard surfaces derived by asymptotic boundary conditions p321
Hybrid wave propagation in generalised Goubau-type striplines p167
Improved numerical simulation of electromagnetic wave scattering from perfectly conducting random surfaces p256
Integrated-circuit antenna for high-permittivity substrates p47
Interpolation of reflector surfaces by pseudosplines p42
Iterative solutions of MFIE for computing electromagnetic scattering of large open-ended cavities p141
Method of moments analysis of a small aperture radial line slot antenna using the rectangular cavity Green's function p498
Moment-method analysis of circularly symmetric reflectors using bandlimited basis functions p179
Moment method analysis of printed single-arm wire spiral antennas using curved segments p261
Multimode equivalent network representation for the Y-junction of rectangular waveguides p161
Polygon subdomain basis-function model for the ring element in FSS arrays p209
Scattering by a right-angled lossy dielectric wedge p392
Simulation of Berenger's perfectly matched layer with a modified TLM node p205
Theoretical and experimental study of a cavity-backed annular-slot antenna p337
Treatment of two-dimensional E-plane bandstop filters using the finite element method p411
Wraparound patch resonators on a composite ground plane p301

PLASMA INTERACTIONS

Electromagnetic waves scattering by nonuniform plasma cylinder p61

PROBABILITY AND STATISTICS

Evaluation of multiple diffraction integrals: computational speed and accuracy considerations p35
Improved numerical simulation of electromagnetic wave scattering from perfectly conducting random surfaces p256
Weibull raindrop-size distribution and its application to rain attenuation p197

PRODUCTION ENGINEERING

Trireflector compact antenna test range p305

RADAR AND RADIONAVIGATION

Millimetre wave leaky wave antenna using an H-guide loaded with a corrugated ferrite p443
Simple design of dual-beam leaky-wave antennas in microstrips p397
Synthesis and analysis of a dual-reflector feed for the radiotelescope in Nancay p289

RADIO DIRECTION-FINDING

Large HF bearing errors for propagation paths contained within the polar cap p241
Large HF bearing errors for propagation paths tangential to auroral oval p91

RADIO SYSTEMS

Design of loop antennas and matching networks for low-noise RF receivers: analytic formula approach p274
Lattice Boltzmann method for wave propagation in urban microcells p251
Observations of Doppler spreading on HF signals propagating over high latitude paths p215
Polarisation-diversity phase-encoded patch-antenna transponder p201
Rain-induced crosspolarisation on line-of-sight systems at 38 GHz p20
Results from clear-air propagation studies on Franco-UK paths at 1.3 and 11 GHz p267
UTD-based model for prediction of propagation path loss and shadowing variability in urban mobile environments p367
VLF wave generation using VLF heating: a pointer to a new technique for ELF wave production? p153
Weibull raindrop-size distribution and its application to rain attenuation p197
Wideband TM_{01}-mode travelling wave coupler p315

RADIOWAVE PROPAGATION

Evaluation of multiple diffraction integrals: computational speed and accuracy considerations p35
Large HF bearing errors for propagation paths contained within the polar cap p241
Large HF bearing errors for propagation paths tangential to auroral oval p91
Lattice Boltzmann method for wave propagation in urban microcells p251
Measured and modelled scattering properties of simulated particles of granular and spongy hail at microwave and millimetre-wave frequencies p27
Modelling and measurement of UHF radio propagating through floors in a multifloored building p359
Observations of Doppler spreading on HF signals propagating over high latitude paths p215
Rain-induced crosspolarisation on line-of-sight systems at 38 GHz p20
Results from clear-air propagation studies on Franco-UK paths at 1.3 and 11 GHz p267
UTD-based model for prediction of propagation path loss and shadowing variability in urban mobile environments p367
Weibull raindrop-size distribution and its application to rain attenuation p197

SEMICONDUCTOR DEVICE MODELLING

Electromagnetic investigation on the propagation in distributed active devices p281

SEMICONDUCTOR DEVICES AND MATERIALS

Design considerations for the series-connected single-switch phase shifter p467
Electromagnetic investigation on the propagation in distributed active devices p281

SIGNAL GENERATORS

Mode change analysis of a two element oscillator-type antenna array p483
Polarisation-diversity phase-encoded patch-antenna transponder p201

SINGLE ANTENNAS

Accurate analysis and synthesis of annular ring microstrip antennas p341
Analysis of an open-ended waveguide radiator with dielectric plug p126
Axial ratio of a curl antenna p488
Corrugated soft sector horn with different beam properties in the two principal planes p13
Design of loop antennas and matching networks for low-noise RF receivers: analytic formula approach p274
Determining the polarisation properties of an antenna using arbitrary and unknown field probes p431
Dimension-descent technique for electromagnetic problems p372
Dual-reflector system with a spherical main reflector and shaped subreflector for compact range p97
Efficient moment method for analysing printed wire loop antennas p364
Experimental and simulation studies of the coaxially fed U-slot rectangular patch antenna p354
Experimental and theoretical study of groove guide horn antennas at W-band p311
Experimental studies of circular patches with slots p421
FD-TD design of short backfire antennas p1
Generalised iterative method for solving 2D multiscattering problems using spectral techniques p73
Integrated-circuit antenna for high-permittivity substrates p47
Interpolation of reflector surfaces by pseudosplines p42
Moment-method analysis of circularly symmetric reflectors using bandlimited basis functions p179
Moment method analysis of printed single-arm wire spiral antennas using curved segments p261
Mutual impedance of two probes located in two different waveguide regions separated by a homogeneous dielectric slab: fullwave analysis p329
Polarisation-diversity phase-encoded patch-antenna transponder p201
Rigorous analysis of three-dimensional beam transmission through a dielectric slab p173
Simple design of dual-beam leaky-wave antennas in microstrips p397
Theoretical and experimental study of a cavity-backed annular-slot antenna p337
VLF wave generation using VLF heating: a pointer to a new technique for ELF wave production? p153

SWITCHING SYSTEMS

Multilayer frequency-selective surfaces for millimetre and submillimetre wave applications p415

TRANSMISSION LINE THEORY

Accurate and efficient evaluation of Green's functions for multilayer normally biased ferrite structures p403
Analysis of microstrip discontinuities by the method of integral equations for overlapping regions p449
Calculation of phase and attenuation constants for waveguides loaded with lossy ferrite with longitudinal or transverse magnetisation p111
Concatenations of waveguide sections p119
Cutoff frequencies of circular waveguide loaded with eccentric dielectric cylinder p7
Efficient and accurate FDTD algorithm for the treatment of curved material boundaries p382
Electromagnetic modelling and simulation of multiconductor interconnect networks with inhomogeneous cylindrical substrate p347
Finite-difference time-domain analysis of inset dielectric guide and its application to waveguide transitions p477
General edge element approach to lossy and dispersive structures in anisotropic media p81
Generalised approach to modelling shielded printed-circuit transmission lines p103
Hybrid wave propagation in generalised Goubau-type striplines p167
Iterative solutions of MFIE for computing electromagnetic scattering of large open-ended cavities p141
Mutual impedance of two probes located in two different waveguide regions separated by a homogeneous dielectric slab: fullwave analysis p329
Rigorous analysis of three-dimensional beam transmission through a dielectric slab p173
Simple and accurate dispersion expression for the effective dielectric constant of coplanar waveguides p145
Simulation of Berenger's perfectly matched layer with a modified TLM node p205
Wideband TM_{01}-mode travelling wave coupler p315

WAVEGUIDE COMPONENTS

Alternating phase-fed waveguide slot arrays with a single-layer multiple-way power divider p425
Analysis of microstrip discontinuities by the method of integral equations for overlapping regions p449
Frequency response of N-port planar gyromagnetic circuits using the mutual energy-finite element method p221
Multimode equivalent network representation for the Y-junction of rectangular waveguides p161
Synthesis of reflection-mode prototype networks with dissipative circuit elements p437
Theoretical study of microstrip disc ferrite resonator with impedance boundary conditions p297
Treatment of two-dimensional E-plane bandstop filters using the finite element method p411
Wideband TM_{01}-mode travelling wave coupler p315
Wraparound patch resonators on a composite ground plane p301

WAVEGUIDES

Calculation of phase and attenuation constants for waveguides loaded with lossy ferrite with longitudinal or transverse magnetisation p111
Concatenations of waveguide sections p119
Cutoff frequencies of circular waveguide loaded with eccentric dielectric cylinder p7
Efficient and accurate FDTD algorithm for the treatment of curved material boundaries p382
Electromagnetic modelling and simulation of multiconductor interconnect networks with inhomogeneous cylindrical substrate p347
Finite-difference time-domain analysis of inset dielectric guide and its application to waveguide transitions p477
General edge element approach to lossy and dispersive structures in anisotropic media p81
Generalised approach to modelling shielded printed-circuit transmission lines p103
Hybrid wave propagation in generalised Goubau-type striplines p167
Mutual impedance of two probes located in two different waveguide regions separated by a homogeneous dielectric slab: fullwave analysis p329
Rigorous analysis of three-dimensional beam transmission through a dielectric slab p173
Simple and accurate dispersion expression for the effective dielectric constant of coplanar waveguides p145